


## Superb III 600W LED Flood Light



600W

**5** YEAR  
WARRANTY

SAVE  
70%


### Specification

|                    |                   |
|--------------------|-------------------|
| SKU                | BRI-/SUIIIIFL600  |
| Power              | 600W              |
| CCT                | 2200 K-5700 K     |
| CRI                | >70 (80 optional) |
| Input Voltage      | AC 100-277 Volts  |
| Power Frequency    | 50/60 Hz          |
| Power Factor (PF)  | >0.95             |
| THD                | <20%              |
| Insulation Grade   | Class I           |
| Colour             | Black             |
| Lens               | PC                |
| Ingress Protection | IP66              |
| Impact Resistance  | IK08              |
| Lumen Efficacy     | 150 Lm/w          |


# General Data

|                       |   |
|-----------------------|---|
| Body Material         | Housing: ADC12 Aluminium<br>Screws: 304 Stainless (316 is Optional) |
| Lifespan              | > 50,000 Hours  |
| Operating Temperature | -30°C~50°C  |
| LED Driver Spec       | Inventronics  |
| LED Spec              | SMD 3535 / 5050   |
| Dimming               | DALI,0-10V,PWM,<br>Smart control management system                  |
| Lumens                | 90,000 lm   |

# Light Distribution



# Dimensions (mm)



# Dimensions (mm)

